

MATERIAL SAFETY DATA SHEET (MSDS)

Applicant Name : Shaanxi Clean Bear Daily Necessities Co., Ltd

Applicant Address : Group 3, Meiwang Village, Jiaoxie Town, Linwei District, Weinan
City, Shaanxi Province

Product Name : Washing liquid

Report No. : RT202501160001

Received Date : 2025-1-14

Redact Period : 2025-1-14 to 2025-1-16

Regulatory Requirements : As requested by the applicant, the Material Safety Data Sheet is prepared according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)Rev_10.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rttscn.com

Fax : 0769-88986990 E-mail : rt@rttscn.com

Address: The 2 floor, Huakai Building, Shenghe Road, Nancheng District, Dongguan City, China

Material Safety Data Sheet

Report No.: RT202501160001

DATE: 2025-1-16

Page2/10

SECTION 1. Identification of the substance/preparation and company

- 1.1 Product Name** : Washing liquid
- 1.2 Model No.** : 2000ml/3000ml
- 1.3 Recommended Use** : /
- 1.4 Applicant Name** : Shaanxi Clean Bear Daily Necessities Co., Ltd
- 1.5 Applicant Address** : Group 3, Meiwang Village, Jiaoxie Town, Linwei District, Weinan
City, Shaanxi Province
- 1.6 Manufacturer Name** : Shaanxi Clean Bear Daily Necessities Co., Ltd
- 1.7 Manufacturer Address** : Group 3, Meiwang Village, Jiaoxie Town, Linwei District, Weinan
City, Shaanxi Province
- 1.8 Manufacturer Tel / Fax** : 86-18457719629
- 1.9 Manufacturer Email** : /
- 1.10 Emergency Phone** : /

SECTION 2. Hazards identifications

2.1 Hazard Classification of substance or mixture(GHS):

Acute toxicity, oral category 4

Serious eye damage/eye irritation category 2A

Hazardous to the aquatic environment,long-term hazard category 3

2.2 Pictograms:



This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration,forgerly or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rttscn.com

Fax : 0769-88986990 E-mail : rt@rttscn.com

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

Material Safety Data Sheet

Report No.: RT202501160001

DATE: 2025-1-16

Page3/10

2.3 Signal word:

Warning

2.4 Hazard description:

H302:Harmful if swallowed

H319:Causes serious eye irritation

H412:Harmful to aquatic life with long lasting effects

2.5 Precautionary description:

P264+P265:Wash hands and face thoroughly after handling.Do not touch eyes.

P270:Do not eat, drink or smoke when using this product.

P273:Avoid release to the environment

P280:Wear eye protection/face protection.

SECTION 3. Composition / information on ingredients

The difference between the single product and mixture: Mixture

| Substance name | Conc. (%) | CAS. |
|------------------|-----------|------------|
| Water | 78.00 | 7732-18-5 |
| AES | 10.00 | 9004-82-4 |
| Sulfonic acid | 3.80 | 27176-87-0 |
| 6501 | 2.00 | 68603-42-9 |
| CAB-35 | 1.00 | / |
| LAO-30 | 1.00 | / |
| AEO-9 | 1.00 | 68213-23-0 |
| NP-10 | 1.00 | / |
| Industrial salt | 1.00-2.00 | 7647-14-5 |
| Sodium hydroxide | 0.40 | 1310-73-2 |
| Kathon | 0.20 | 26172-55-4 |
| Essence | 0.10 | / |
| Pigment | 0.10 | / |

This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rttscn.com

Fax : 0769-88986990 E-mail : rt@rttscn.com

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

Material Safety Data Sheet

Report No.: RT202501160001

DATE: 2025-1-16

Page4/10



Product image

SECTION 4. First aid measures

General advice: Show this safety data sheet (MSDS) to the doctor in attendance.

4.1 Following eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately consult a doctor if feeling uncomfortable.

4.2 Following skin contact:

Rinse skin with water. Immediately consult a physician if feeling uncomfortable.

4.3 Following inhalation:

Move victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give cardiopulmonary resuscitation and consult a physician immediately.

4.4 Following ingestion:

If it is ingested, rinse the mouth with water. Seek medical attention immediately.

SECTION 5. Firefighting measures

5.1 Special hazards arising from the substance or mixture:

Not considered to be a fire hazard. Not easily ignited by fire.

5.2 Extinguishing Media:

Dry powder, Chemical foam, Carbon dioxide, water mist.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rttscn.com

Fax : 0769-88986990 E-mail : rt@rttscn.com

Address: The 2 floor, Huakai Building, Shenghe Road, Nancheng District, Dongguan City, China

Material Safety Data Sheet

Report No.: RT202501160001

DATE: 2025-1-16

Page5/10

5.3 Advice for firefighters:

As in any fire, wear self-contained breathing apparatus(MSHA/NIOSH approved or equivalent)and full protective gear.

Extinguish fire in a safe distance with enough protection

Prevent fire extinguishing water from contaminating surface water or the ground water system.

5.4 Hazardous combustion products:

No data available.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with your eyes.

Ensure adequate ventilation. Clear all fire sources.

Evacuate personnel to safe areas. Keep people away from upwind of spill/leak.

Wear appropriate protective measures (SEE SECTION 8).

6.2 Environmental precautions:

If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

6.3 Cleaning method:

Remove by liquid absorbing material (e.g. kieselguhr) . Adhered or collected material should be promptly disposed of. Disposal of discarded waste/pollutants refers to SECTION 13.

SECTION 7. Safe handling and storage

7.1 Handling Notes:

Keep away from fire and heat.

Avoid sun exposure.

Keep indoor ventilation or local exhaust device.

Handle lightly when handling to prevent damage to packaging and containers.

7.2 Storage Notes:

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rttscn.com

Fax : 0769-88986990 E-mail : rt@rttscn.com

Address: The 2 floor, Huakai Building, Shenghe Road, Nancheng District, Dongguan City, China

Material Safety Data Sheet

Report No.: RT202501160001

DATE: 2025-1-16

Page6/10

Keep away from fire and heat.
Store in a cool, ventilated location.
Stored in compatible containers.
Keep storage containers sealed.
Do not store with food containers or incompatible materials (see section 10.2)

SECTION 8. Exposure controls / personal protection

8.1 Occupational Exposure Limit:

No information found

8.2 Engineering Control:

Keep the material sealed during the production process and keep the room ventilated. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn. Ensure that eyewash stations and safety showers are proximal to the work-station location.

8.3 Respiratory Protection:

No special protection is required under normal conditions.

Wear a filter mask when necessary.

8.4 Eyes Protection:

No special protection is required under normal conditions.

Wear protective glasses when necessary.

8.5 Hands Protection:

No special protection is required under normal conditions.

Wear protective gloves when necessary.

8.6 Sanitary Measure:

Forbid smoking, eating and drinking in working places. Washing hands after handling products.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rtscn.com

Fax : 0769-88986990 E-mail : rt@rtscn.com

Address: The 2 floor, Huakai Building, Shenghe Road, Nancheng District, Dongguan City, China

Material Safety Data Sheet

Report No.: RT202501160001

DATE: 2025-1-16

Page7/10

SECTION 9. Physical and chemical properties

| | |
|--|-------------------------------|
| Appearance and Color | Red/blue liquid |
| Odour | Weak odor |
| PH value | No data available |
| Flammability | Non-flammable |
| Flash point(°C,Closed cup) | No data available |
| Boiling point(°C) | No data available |
| Freezing point (°C) | No data available |
| Density(g/cm³) | No data available |
| Relative steam density (air = 1) | No data available |
| Vapor pressure(MPa) | No data available |
| Octanol/water partition coefficient | No data available |
| Viscosity (m²/s) | No data available |
| Evaporation rate (kg/s) | No data available |
| UEL %(V/V) | No data available |
| LEL %(V/V) | No data available |
| Auto-ignition temperature(°C) | No data available |
| Decomposition temperature(°C) | No data available |
| Solubility | Partially miscible with water |

SECTION 10.Stability and reactivity

10.1 Stability:

Stable under recommended storage and handling conditions (See section 7).

10.2 Material for avoiding:

Strong oxide,acid and alkali.

10.3 Contact conditions for avoiding:

High temperature.

This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration,forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rttscn.com

Fax : 0769-88986990 E-mail : rt@rttscn.com

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

Material Safety Data Sheet

Report No.: RT202501160001

DATE: 2025-1-16

Page8/10

10.4 Hazardous decomposition products:

No data available

SECTION 11. Toxicological information

11.1 Acute toxicity:

No information found.

11.2 Skin corrosion/irritation:

No information found.

11.3 Serious eye damage/irritation:

Causes serious eye irritation

11.4 Respiratory or skin sensitisation:

No information found.

11.5 Germ cell mutagenicity:

No information found.

11.6 Carcinogenicity:

No information found.

11.7 Reproductive toxicity:

No information found.

11.8 STOT-single exposure:

No information found.

11.9 STOT-repeated exposure:

No information found.

11.10 Aspiration hazard.:

No information found.

SECTION 12. Ecological information

12.1 Ecotoxicity:

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rttscn.com

Fax : 0769-88986990 E-mail : rt@rttscn.com

Address: The 2 floor, Huakai Building, Shenghe Road, Nancheng District, Dongguan City, China

Material Safety Data Sheet

Report No.: RT202501160001

DATE: 2025-1-16

Page9/10

According to the environmental protection laws, can't be discarded in those places which would affect soil and underground water.

12.2 Persistence and degradability:

No data available.

12.3 Bioaccumulative potential:

No data available.

12.4 Mobility in soil:

No data available.

12.5 Other adverse effects:

No data available

SECTION 13. Disposal considerations

13.1 Handling method for waste:

Handling waste according to the local regulations. Contact specific waste disposal company or companies recommended by local laws.

13.2 Handling method for uncleaned packaging

According to official regulations.

SECTION 14. Transport information

IMDG,ICAO/IATA,ADR/RID 14.1 UN NO.: Not classified

IMDG,ICAO/IATA,ADR/RID 14.2 Class: Not classified

IMDG,ICAO/IATA,ADR/RID 14.3 Packaging group: Not classified

IMDG,ICAO/IATA,ADR/RID 14.4 Technical name: Not classified

IMDG,ICAO/IATA,ADR/RID 14.5 Label: Not classified

14.6 Attention Notes: Gentle with, prevent collision drag and dump.Prohibition with antioxidant and food chemical mixed stowage,transit should prevent sun、 fire、 rain and high temperature.

SECTION 15. Regulatory information

Hazardous chemicals catalog

This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration,forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rttscn.com

Fax : 0769-88986990 E-mail : rt@rttscn.com

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

Material Safety Data Sheet

Report No.: RT202501160001

DATE: 2025-1-16

Page10/10

International maritime dangerous goods code
Dangerous Goods Number Of United Nations
Technical Instructions for the Safe Transport of Dangerous Goods by Air
Classification and code of dangerous goods
Occupational Safety and Health Act (OSHA)
The principle of classification of transport packaging groups of dangerous goods
Globally Harmonized System of Classification and Labelling of Chemicals
In accordance with all local laws.

SECTION 16. Other information

Disclaimer

The information in this Material Safety Data Sheet was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss,damage or expense arising out of or in any way connected with the handling,storage,use or disposal of the product. This MSDS was prepared and is to be used only for this product.This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

*****END*****

This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration,forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel : 400-8833-087 Website : www.rttscn.com

Fax : 0769-88986990 E-mail : rt@rttscn.com

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China